

CERTIFICATE OF ANALYSIS

General Specifications

Product	: Slendesta 300 mg 60 gél 0 v.1
Reference	: FFSMA198
Lot No	: 07178C
Best-if-used-by	: 06/2009
Checking of raw material analysis certificates	: Conform

Physico-chemical parameters

		<u>Results</u>
Appearance	:	Conform
Number of caps/ bottle	: 60 capsules	Conform
Total weight of the capsule	: 409 mg +/- 7.5 %	412,3 mg
Average fill weight	: 314 mg +/- 7.5 %	317,3 mg
Disintegration time	: Eur. Ph. 4° ed.	Conform

Microbiological analysis

Total viable aerobic germs	NF-V08-051 (spiral)	< 100.000 CFU/g	Conform
Yeasts and Moulds	XP-V08-059	< 10.000 /g	Conform
Enterobacteriaceae	NF-V08-054	< 1.000 CFU/g	Conform
Clostridium perfringens	NF-V08-056	< 10 CFU/g	Conform
Bacillus cereus	NF V08-058 derived	< 100 CFU/g	Conform

Preservation

: Ventilated place and safe from light

Composition of an empty caps

HPMC (hydroxypropyl methylcellulose)

Reference

Eur. Ph. 4° ed

Slendesta 300 mg 60 gél 0 v.1 with batch 07178C is conform to the above mentioned specifications.

This product is manufactured by a company ISO 22000:2005 certified.

Date : 6/07/2007


Quality Department

Please, email your inquiries to mr.smart@supersmart.com or fax to +352 26 19 04 55