



CERTIFICATE OF ANALYSIS

Name of Product : Benfotiamine
 Lot Number : 900519
 Specification No : 0540
 Best-if-used-by : 05/21
 Checking of raw material analysis certificates : Conforms
 Presentation : Bottle of Capsules

| SAMPLE | SPECIFICATIONS | RESULTS |
|---|----------------------|----------------------|
| 1- Appearance | White Capsule | Positive |
| 2- Identification | Positive | Positive |
| 3- No. of caps/bottle | 120 | Conforms |
| 4- Weight of capsule | 440 mg. + - 5% | 446 mg (average) |
| 5- Empty capsule | '0' Veggie | Conforms |
| 6- Less than 95 per gram | | |
| Total plate count | <100,000 cfu/g | Conforms |
| Total yeast & mold | <10,000 cfu/g | Conforms |
| E. Coli | Negative | Negative |
| Salmonella | Negative | Negative |
| 7- Pesticides | Negative | Negative |
| 8- Chemical Analysis | | |
| Lead | 0.0 mg/kg | 0.0 |
| Arsenic | 0.0 mg/kg | 0.0 |
| Mercury | 0.0 mg/kg | 0.0 |
| 9- Time of Disintegration: in Simulated gastric Fluids USP <2040> | Less than 15 minutes | Less than 15 minutes |



 Signature of Analyst



 Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.