





INNOVATION AND EXCELLENCE SINCE 1992

### CERTIFICATE OF ANALYSIS

Name of Product : Daily Booster  
Lot Number : 691118  
Specification No : 0572  
Best-if-used-by : 11/20  
Checking of raw material analysis certificates : Conforms  
Presentation : Bottle of Tablets

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Brown Tablet	Positive
2- Identification	Positive	Positive
3-No. of Tabs/bottle	90	Conforms
4- Weight of Tablet	769 mg. + - 5%	774 mg (average)
5-Tablet Size	5/16 Round	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in simulated gastric fluids USP <2040>	Less than 30 minutes	Less than 30 minutes

  
\_\_\_\_\_  
Signature of Analyst

  
\_\_\_\_\_  
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.